

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	29	(retriev\$3 or request\$3 or search\$3 or quer\$3) with ((tag\$4 or mark\$3) near2 delet\$3) with (value\$1 or "1" or "0" or null or NULL)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 10:24
L2	17	1 and (delet\$3 with (index\$2 or entr\$3 or record\$1)) and (table\$1 or schema\$1 or (relational near2 database\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 10:25
L3	0	1 and (((delet\$3 with (index\$2 or entr\$3 or record\$1)) with (schedul\$3 or interval\$1 or event\$1)) and (table\$1 or schema\$1 or (relational near2 database\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 10:29
L4	1	1 and (((delet\$3 with (index\$2 or entr\$3 or record\$1))) same (schedul\$3 or interval\$1 or event\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 10:27
L5	2111	((delet\$3 with (index\$2 or entr\$3 or record\$1)) same (schedul\$3 or interval\$1 or event\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 10:29
L6	110	((delet\$3 with (tag\$4 or mark\$3) with (index\$2 or entr\$3 or record\$1)) same (schedul\$3 or interval\$1 or event\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 10:33
L7	52	delet\$3 with (tag\$4 or mark\$3) with (index\$2 or entr\$3 or record\$1) with (schedul\$3 or interval\$1 or event\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 13:58
L8	2	7 and (set\$4 with ("0" or 1 or NULL or value\$1) with attribute\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 10:32
L9	5	6 and (updat\$3 with table\$1 with value\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 10:34

L10	1592	(tag\$4 or mark\$3) with (index\$2 or entr\$3 or record\$1) with ("0" or 1 or null or NULL)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 13:29
L11	48	10 and (updat\$3 with (tag\$4 or mark\$3) with table\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 13:30
L12	0	11 and (search\$3 or request\$3 or quer\$3 or retriev\$3) with (schedul\$3 or (time near2 interval\$1)) and (delect\$3 with (mark\$3 or flag\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 13:24
L13	0	11 and ((delect\$3 with (mark\$3 or flag\$4)) with (schedul\$3 or periodic\$4 or (time near2 interval\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 13:25
L14	0	11 and (delect\$3 with (schedul\$3 or periodic\$4 or (time near2 interval\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 13:25
L15	25	11 and delet\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 13:25
L16	6736	(tag\$4 or mark\$3) same (index\$2 or entr\$3 or record\$1) same ("0" or 1 or null or NULL)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 13:53
L17	6	10 and ((updat\$3 near4 (tag\$4 or mark\$3) near3 (index\$2 or entr\$3 or record\$1))with table\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 13:31
L18	5	17 and delet\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 13:31
L19	635	(tag\$4 or mark\$3) same (index\$2 or entr\$3 or record\$1) same ("0" or 1 or null or NULL) same updat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 13:54

L20	139	(delet\$3 same (tag\$4 or mark\$3) same (index\$2 or entr\$3 or record\$1)).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 14:03
L21	18	(delet\$3 same (tag\$4 or mark\$3) same (index\$2 or entr\$3 or record\$1) same updat\$3).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 14:03
L22	19	(delet\$3 same (tag\$4 or mark\$3) same (index\$2 or entr\$3 or record\$1) same updat\$3).ab,ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 14:08
L23	19	((delet\$3 or (clean\$4 near2 up)) same (tag\$4 or mark\$3) same (index\$2 or entr\$3 or record\$1) same updat\$3).ab,ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 14:08
L24	0	((delet\$3 or (clean\$4 near2 up)) same (tag\$4 or mark\$3) same (index\$2 or entr\$3 or record\$1) same updat\$3).pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 14:09
L25	0	((delet\$3 or (clean\$4 near2 up)) same ((tag\$4 or mark\$3) with (index\$2 or entr\$3 or record\$1))).pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 14:10
L26	0	((delet\$3 or (clean\$4 near2 up)) same ((tag\$4 or mark\$3) with (index\$2 or entr\$3 or record\$1))).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 14:10
L27	1739	((delet\$3 or (clean\$4 near2 up)) same ((tag\$4 or mark\$3) with (index\$2 or entr\$3 or record\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 14:10
L28	220	((delet\$3 or (clean\$4 near2 up)) with (schedul\$3 or periodic\$4 or (time near2 interval\$1))) same ((tag\$4 or mark\$3) with (index\$2 or entr\$3 or record\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 14:16
L29	3	28 and (updat\$3 with ((tag\$4 or mark\$3) near2 (entr\$3 or index\$2 or record\$1)) with table\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 14:16

L30	1068	(((delet\$3 or insert\$3 or updat\$3 or (clean\$4 near2 up)) with (schedul\$3 or periodic\$4 or (time nea2 interval\$1))) same ((tag\$4 or mark\$3) with (index\$2 or entr\$3 or record\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 14:16
L31	1068	(((delet\$3 or insert\$3 or updat\$3 or (clean\$4 near2 up)) with (schedul\$3 or periodic\$4 or (time nea2 interval\$1))) same ((tag\$4 or mark\$3) with (index\$2 or entr\$3 or record\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 14:18
L32	13	31 and (updat\$3 with ((tag\$4 or mark\$3) near2 (entr\$3 or index\$2 or record\$1)) with table\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 14:19
L33	220	(((delet\$3 or insert\$3 or updat\$3 or (clean\$4 near2 up)) with (schedul\$3 or periodic\$4 or (time nea2 interval\$1))) same ((tag\$4 or mark\$3) with (index\$2 or entr\$3 or record\$1)) same (table\$1 or schema\$1 or column\$1 or row\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 14:18
L34	259	31 and (updat\$3 with table\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 14:19
L35	134	33 and (updat\$3 with table\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 14:19
L36	38	35 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 14:19
L37	10	35 and ((set\$4 or chang\$3) with ((tag\$3 or mark\$2) near2 (value\$1 or number or NULL or null or Zero or "0")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 14:21